8/6/2015

Colorado State Fleet Management 2016 VEHICLE SPECIFICATIONS

Dealers Invitation to Bld

4:

Class: SUV 4x4

Body Code: K7

PASS UTIL LARGE, 4X4, PATROL

Representative Models: 1: CHEVROLET

TAHOE

2: FORD

EXPEDITION

42201

ORIGINAL

MAKE: CHEVY MODEL: TAHOE	OEM MODEL #: CK15706 TRIM LEVEL: OEM CODE:
STANDARD SPECIFICATIONS:	OEM CODE INDICATE ACTUAL DEALER SPECIFICATIONS
103 PASS: 5 PERSONS MIN.	STANDARD
111 DOORS: 4 FULL SIZE SIDE DOORS	STANDARD
415 FOUR-WHEEL DRIVE	STANDARD
479 PKG: POLICE 4WD UTILITY(attchment)	INCLUDED
910 PRIMARY FUEL: UNLEADED	STANDARD
991 STD WRNTY - BUMPER TO BUMPER 3/36	STANDARD

STANDARD VEHICLE BASE PRICE \$ ___

AVAILABLE OPTIONS: OEM CODEACTUAL / COMMENTS PRICE 216 NON-STD ENGINE OPTION A: **NOT AVAILABLE** 252 CNG PREP PACKAGE **NOT AVAILABLE** 254 ALT FUEL - OEM BI FUEL SPECIFY TANK LOC NOT AVAILABLE OEM - AFTERMARKET 15300 255 ALT FUEL - OEM DEDICATED SPEC TANK LOC NOT AVAILABLE 256 E85 - OEM BI FUEL STANDARD 286 PUSH BUMBER PB400 369 287 PUSH BUMP PB400 W/PB5 FENDER PROTECTO 693 **INCLUDES 784** 289 DELETE PKG #479 CREDIT (6152)315 SEAT:EXTRA 3RD ROW SEAT **AFTERMARKET** 2510 408 REAR AXLE - ANTI SPIN **STANDARD** 430 PCKG:TOWING/RCVR HITCH(Alchmt) 650 444 ENGINE BLOCK HEATER K05 75 472 EPACT AFV CREDIT: Specify NOT AVAILABLE 477 DELETE TOW PKG IN PKG #479 **NOT AVAILABLE** 505 RIGHT SPOTLIGHT: RED LENS 369 507 RIGHT SPOTLIGHT: CLEAR LENS 350 528 PACKAGE: LIGHT BAR (attchmt not Installed) 1355 533 WIRING, ROOF LIGHTING WITH HOLE 149 604 PUSH BUMPER SETINA 16" 349 608 HYBRID GAS/ELECTRIC NOT AVAILABLE 663 UNDERCOVER LIGHT PKG K7 & K8 (attchmt) 1849 676 CONSOLE A95 BUCKETS WITH CENTER CONSOLE 250 260 683 LIGHTBAR INSTALL

8/6/2015

Colorado State Fleet Management 2016 VEHICLE SPECIFICATIONS

Dealers Invitation to Bld

Class: SUV 4x4

Body Code: K7

PASS UTIL LARGE, 4X4, PATROL

Representative Models: 1: CHEVROLET

TAHOE

2: FORD

EXPEDITION

3:

4:

	OEM MODEL #: OEM CODE	
AVAILABLE OPTIONS:	OEM CODEACTUAL / COMMENTS	PRICE
763 PHEV (PLUG IN HYBRID ELEC VEH)	NOT AVAILABLE	
784 DELETE LEFT SPOTLIGHT	INCLUDED IN 289 CREDIT	(200)
795 CLOTH MIDDLE SEAT	5T5	NO CHARG
800 FLOOR MATS FRONT AND REAR	B30	190
825 REVERSE SENSING SYSTEM		329
826 CONSOLE BTWN BUCKET SEATS FORD ONLY	NOT AVAILABLE	
827 CENTER CONSOLE INSTALL	NOT AVAILABLE	
828 PA SYSTEM W/SIREN SPEAKER	8	819
829 PROGRAM & INSTALL LIGHTING CONTROLLER	CALL FOR DETAILS	
982 EXT WARRANTY - POWER TRAIN 5/100,000	STANDARD	

8/6/2015

Colorado State Fleet Management **2016 VEHICLE SPECIFICATIONS**

Dealers Invitation to Bid

Class: SUV 4x4

Body Code: K7

PASS UTIL LARGE, 4X4, PATROL

Representative Models: 1: CHEVROLET

3:

2: FORD

EXPEDITION

TAHOE

4:

OEM MODEL #: CK15709 TRIM LEVEL: OEM CODE: TAHOE CHEVY MODEL: MAKE: **AVAILABLE COLORS:** Please attach manufacturer color chart OTHER VEHICLE SPECIFICATIONS / OPTIONS (Please attach separate sheet if necessary) PRICE STANDARD FACTORY WARRANTY (Attach detalled description): **MONTHS MILES** 36K 36 Bumper to Bumper 100K 60 **Drive Train** Other OPTIONAL FACTORY WARRANTY (Attach detailed description): MONTHS **PRICE** SEVERAL AVAILABLE CALL FOR DETAILS EPA FUEL RATING: 16 M.P.G CITY, 22 M.P.G HIGHWAY 85 OEM MINIMUM FUEL RATED OCTANE: APROX 60 DAYS FROM DEALER RECEIPT OF ORDER FROM STATE (E.G. 90 DAYS) **IDENTIFY ANY EXCEPTIONS TO SPECIFICATIONS:** DEALER NAME: JOHN ELWAY CHEVROLET BIDDER'S NAME: MARK MCMUNN **DEALER PHONE:** 719.866.1134

Page 20 of 52

#479 - PACKAGE: POLICE 4WD UTILTIY

MINIMUM SPECIFICATIONS FOR 2016 MODEL YEAR FULL-SIZE, BODY CODE K7 4- DR, 4WD, UTILTIY PATROL VEHICLES

2016 V-8, full-size, 4-door, 4 Wheel drive, utility type PPV 1FL 9C1 **OEM Certified Pursuit rated Police vehicle**: Chevrolet Tahoe CK15706:

SPECIFICATIONS

	ly (circle \	Y or N)
Air Bags:	Ø N	Frontal and side-impact for driver and front passenger, driver inboard seat-mounted side-impact and head curtain side-impact for all rows in outboard seating positions.
Air Conditioning:	(Y) N	Factory-installed air conditioning with Dual-zone manual climate control with auxiliary rear air conditioning and heat operated from the front only
Alternator System:	(Y) N	170-amp with idle boost controlled by energy level sensing
Assist steps:	(Y) N	Black running boards on both sides.
Auxiliary Battery	Ø N	Isolated Auxiliary Battery, 730CCA (K4B)
Auxiliary Power, Front:	Ø N	110-amp main power supply wiring at instrument panel and trunk cargo area.
Battery:	(A) N	Heavy duty maintenance free battery, minimum of 720 CCA with rundown protection.
Bluetooth	OP N	Bluetooth cell phone connectivity
Brakes:	ON	Heavy-duty 4- wheel anti-lock brake system with VAC power.
Console Delete:	OPN	Delete OEM center console
Console:	ON N	Must be Kerr Industries Package KTCSP3-015:
Cooler, Engine Oil:	(V) N	Auxiliary engine oil cooler. (KC4)
Cooler, Transmission Oil:	ON	External air-to-oil transmission oil cooler. (KNP)
Cooling System:	Ø N	Heavy duty high capacity radiator and cooling system, electric fans and extended life coolant. Hoses are EPDM rubber.
Cruise Control:	(Y) N	Electronic cruise control system with tilt steering wheel.
Defroster, Rear Window:	N	Electric rear window defroster / defogger.
Daytime Running Lights (9G8):	(Y) N	Delete daytime running lights and automatic headlights.
Differential:	(Y) N	Axle Ratio to be 3.08 to 1.
Dome lamp front	(Y) N	Must be Kerr Industries Package KTCSP3-015:
Dome lamps Rear	(Y) N	Cargo lamp with delayed entry feature and map lamps. (67)
Door, Rear:	(Y) N	Full lift up door with lift up glass.
Engine:	(Y) N	5.3L Eco Tec3 V8, with active fuel management, flex fuel
Flasher system SEO 6J7:	Ø N	SEO 6J7 Headlight flasher module with control wire and body control module rear lamp flashing.
Floor Covering:	(V) N	Carpeting (B30)
Gauges:	(V) N	Tachometer, oil pressure, and engine temperature and fuel gauges mounted in dash in normal positions.

Page 21 of 52

Lighting Controller	(ŷ) I	N	Must be Kerr Industries Package KTCSP3-015
Lighting Package -		N	Must be Kerr Industries Package KTCSP3-015
4 corner strobes:			
Locking System:	(2)	N	Single key locking system (different key for each vehicle). Remote keyless entry with six extra fobs and keys (AMF) (5HP)
Locks, Power:	(Y)	N	Power door locks controlled from driver's and passenger position, rear
			door handles to remain operational. Inside rear door handles
			inoperative, Inside rear door locks inoperable (6N6)
Luggage Rack Delete:	Y	N	Delete roof top luggage rack.
Mirrors, Outside Heated:	(A) V	N	Heated left and right outside mirrors, adjustable with remote control. Manual folding.
Power Management:	ON	٧	Must be Kerr Industries Package KTCSP3-015
Power Outlets	(V) N	1	One located on instrumental panel and two in rear cargo area.
Radio AM/FM:	(Y) N	1	OEM AM/FM/CD Radio
Radio Suppression	(Y) N	1	Grounding straps at five locations. (UN9)
Seats:	(Y) N	1	Heavy duty front bucket cloth seats. The 2 nd row seat to be made of vinyl. No third row seating.
Siren Speaker:	(Y) N	1	Must be Kerr Industries Package KTCSP3-015
Speedometer:	(Y) N	1	120 MPH certified analog, 1 mph increments digital trip odometer.
Spotlight:	(Y) N		One, driver's-side spot light, cowl or post mounted, 5" in diameter. Head to be mounted on door pillar in such a manner as to provide adequate clearance from steering wheel in all positions of spotlight and tilt steering wheel. White lens to have a minimum of 160,000 candle-power. Unity 213010 with sealed beam bulb. Dealer installed
Stabilitrak:	Y) N		Stability enhanced system.
Steering:	(Y) N		Heavy-duty power operated steering system.
Suspension System:	(Y) N		Heavy duty, police rated, independent torsions bar, and stabilizer bar and rear multi-link with coil springs.
Theft Deterrent	(Y) N		Vehicle theft PASS-key III+
Tires and Wheels:	(Y) N		Five heavy-duty 17" steel wheels and five "V rated" tires (P265/60R17) BSW all-season tires. Tire pressure monitoring system.
Tire carrier-Spare:	(Y) N		Lockable outside spare, winch type mounted under frame at rear.
Trailer Tow	(Ý) N		Includes trailering hitch platform, 7 wire harness with independent
Package:	•		fused trailering circuits mated to a 7-way sealed connector, VR4 2-inch trailering receiver and electric brake controller jumper harness.
Transmission:	(V) N		Heavy-duty minimum of 6-speed automatic transmission with overdrive.
Windows, Power:	(Y) N		Power windows, rear inside switch inoperable SEO (6N5)
Windshield Wipers:	(V) N		Front and rear intermittent windshield wiper system.
Wiring horn/siren SEO 6J4:	(Y) N		SEO 6J4 Connection of a switch to select either horn or siren operation when the horn pad is pressed.
	(Ý) N		
Wiring provisions for Grille lamps and siren SEO 6J3 :	(Y) N	5	Blunt cut ends for alternating signal flasher, for grille lamps and siren/speaker. Control wires from in-line connector in forward lamp harness for grille lamps and speaker.

Page 22 of 52

Wiring Special	Y/N	Must be Kerr Industries Package KTCSP3-015: Includes: KON18
KTCSP3-015:		Console includes mounting platform (Floor plate and leg kit). KON-AC2- cupholder. KON-PWR – 3 outlet power plug (12 volt). KNVL55-LED night vision dome light. K6J7RF separate front from rear flasher on SEO 6J7. KCRN-LED front and rear corner strobes installed in front head lamps & rear tail lamps of vehicle. Front to be white and rear to be red. KPDIST 80 amp front and rear power distribution management system, includes 2 fuse panels, circuit breakers and color coded, labeled wiring. KSPEAK- A 100-watt siren speaker installed behind the vehicle grille. Wiring connections are weather proof.
		Whelen CanTrol siren and lighting control system. System to include a remote mounted photo cell that will be direct wired to the CanTrol inputs as per CSP/Whelen specs. CanTrol system to have interface cable pre wired from the rear of the vehicle to the console area for the CANCTL1 control head to be attached. Part number CanTrol CANWC1 w/ Control Head #CANCTL1, Photo Cell part number CANLITEB. Whelen ION Grill lights installed, red drivers side, blue passenger side. Whelen headlight flasher. Whelen headlight and taillight white LED Hide-Away lights-installed. Whelen under side view mirror lights, installed-red drivers side, blue passenger side. Whelen ION rear quarter glass lights-mounted behind glass, red-drivers side blue passenger side. Whelen rear window ION lights-mounted behind glass, red-drivers side blue passenger side. Wiring harness- ICANF1-PM & 00-AH10 MN-Star CanTrol Compatible Siren & Lighting Harness, CSP Tahoe Specific

THE WARRANTY IS TO GO INTO EFFECT ON THE DATE THE VEHICLE IS PUT INTO SERVICE, NOT THE PURCHASE DATE. END USER WILL BE RESPONSIBLE FOR NOTIFING THE MANUFACTURER OF THE IN SERVICE DATE.

Delivery to be made to the Colorado State Patrol at 15203 W. 12th Ave., Golden, CO 80401. Per State Fleet Management instructions.

OTHER

Please list a description of any additions and/or deletions to your factory's POLICE PACKAGE from the above listed specs or list next to the item directly on the attached sheets described above:

Body Code:

ATTACH A COPY OF THIS FORM TO THE "DEALER'S INVITATION TO BID" FOR BODY CODE $K_{\overline{1}}$ WHICH HAS OPTION PACKAGE #479.

Since this Package is part of the Standard Specification for body code K7, the total cost for this package must be included in the "Standard Vehicle Base Price" as listed on pg 1 of the Vehicle Specs for this body code.

Page 5 of 52

#430 - PACKAGE: OEM TOWING OPTION

Attach one copy of this form to each body code specification sheet that has an Available Option #430 including the following body codes:

C2, C3, C4, D1, D2, D3, D5, D8, E2, E3, E4, E8, F2, F3, F4, F6, F8, G3, H3, K1, K2, K3, K5, K6, T1, T4, T5

An installed OEM TOWING OPTION PACKAGE should include the following:

- Frame mounted receiver hitch with a class 3 (class 4 for T1, T4, T5) rating that accepts a 2" square receiver
- Heavy duty engine cooling
- Transmission cooling (automatic only)
- Trailer wiring harness

	tion. num by the 3 year 36,000 mile factory warranty ur company's OEM TOWING OPTION package from
Total Price for OEM TOWING PACKAGE:	\$ 650.00
For Body Code:	
Total Price for T1 - OEM TOWING PACKAGE:	\$

Page 34 of 52

#663 - Undercover Lighting Package

Attach one copy of this form to each body code specification sheet that has an Available Option #663 in the following body codes:

J4, K2, K7, K8

Bid equipment for vehicle model being bid.

The UNDERCOVER LIGHTING PACKAGE must include the following:

- (Non-OEM) Whelen XLP Front Inner-Edge:
- Front Inner-Edge(Driver-Passenger)
 - o DUO RED/WHITE LED module X6, DUO BLUE/WHITE LED module X6
 - o Two Piece Design
 - o Whelen WeCan Controlled Programming
- IW08UFX Ford Expedition
- IW34UFX Ford Interceptor Utility/Ford Explorer
- IW44UFX Dodge Durango
- IW45UFX Chevy Tahoe/Suburban
- (Non-OEM) Whelen Rear Traffic Advisor TAZ86RB:

Same model for all 3 vehicle types

- Rear Inner-Edge(Driver-Passenger)
 - o Red LED Warning module, AMBER T/A module X6, Blue warning module.
 - T/A to function separately from Red/Blue light and plug directly into the CanTrol CANWC1 w/ Control Head # CANCTL1.
- Mounting kit
 - o Mounting kit to match vehicle application from bid award
- Delivery
 - Lighting and siren/lighting/traffic advisor to be delivered in factory shipping box and placed in the trunk of the new vehicle when delivered to Colorado State Patrol Garage (No Installation).

List the make and model of Lighting Package that is bid:

Make	WHELEN	Model	!W45UFX		
Make _	WHELEN	Model	TAZ86RB		
List any listed ab	additions and/or dele	etions of your bid fror	n the UNDERCOVER	R LIGHTING PACKAGE spe	c's
Total Pri For Body	ce for UNDERCOVE	ER LIGHTING PACKA	AGE: \$_1,849		

Page 32 of 52

#528 - Package Light Bar

Attach one copy of this form to each body code specification sheet that has an Available Option #528 in the following body codes:

A5, A7, A8, F6, J4, K2, K7, K8

Bid equipment for vehicle model being bid.

The LIGHT BAR PACKAGE must include the following:

- (Non-OEM) Whelen Liberty 2 Model IW8CSP1
 - FRONT (Driver-Passenger)
 - RED Linear 12 diode LED corner module, RED Linear 6 diode LED outboard module, RED Linear-6 diode LED inboard module, (2) 12 Diode LED Take Down Lights, BLUE Linear-6 diode LED inboard module, BLUE Linear-6 diode LED outboard module, BLUE Linear-12 diode LED corner module.
 - o REAR (Driver-Passenger);
 - RED Linear 12 diode LED corner module, RED Linear 6 diode LED outboard module, RED Linear-6 diode LED inboard module, RED Linear 6-diode LED inboard module, Blue Linear 6-diode LED inboard module, BLUE Linear-6 diode LED inboard module, BLUE Linear-6 diode LED outboard module, BLUE Linear-12 diode LED corner module
 - o SIDES (Driver-Passener)
 - Single 3-LED Vertical LED Alley Light Modules
- Lenses
 - o All lenses shall be clear in color
- Mounting kit
 - Mounting kit to match vehicle application from bid award-Mounting brackets for the A5,
 A7 and A8 are to be powder coated Black.
- Delivery
 - Light bar to be delivered in factory shipping box and placed in the trunk of the new vehicle when delivered to Colorado State Patrol Garage (No Installation).

List the	make and model of Light E	Bar that is bid:		
Make	WHELEN	Model	1W8CSP1	
List any	additions and/or deletions	of your bid fro	om the LIGHT BAR PACKAGE spec's listed above:	
Total Pri	ce for PACKAGE: LIGHT	BAR: \$ 1,35	For Body Code K7	